L Number	Hits	Search Text	DB	Time stamp
5	11415	((717/108) or (707/103R,104.1,3) or (709/207,217,315) or (719/330,332,315)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:43
7	25	(((717/108) or (707/103R,104.1,3) or (709/207,217,315) or (719/330,332,315)).CCLS.) and (Vector same Enumeration)not "Business Machines".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:44
9	16	((((717/108) or (707/103R,104.1,3) or (709/207,217,315) or (719/330,332,315)).CCLS.) and (Vector same Enumeration)not "Business Machines".as.) not (Accenture.as. or Bowman.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:45
10	9	(@ad<=20000831 or @rlad<=20000831) and (((((717/108) or (707/103R,104.1,3) or (709/207,217,315) or (719/330,332,315)).CCLS.) and (Vector same Enumeration)not "Business Machines".as.) not (Accenture.as. or Bowman.in.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:48
11	0	(707/107).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:49
-	17	(("6272537") or ("6473766") or ("6411697") or ("6275790") or ("6163776") or ("6434447") or ("6125391") or ("6226675") or ("6226675") or ("5878411")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 07:57

C:\APPS\EAST\Workspaces\09653247.wsp

-	99	("6269373" "6298478" "6199195" "6351776" "6385643" "6336118" "6230160" "6438744" "6292830" "6292933" "6026405" "6442541" "6049664" "5933144" "6047318" "6236999" "6457065" "6249803" "6237135" "6085198" "6266666" "6078743" "6289512" "6266716" "6185730" "6185609" "6009464" "6035303" "6115719" "6049819" "6167453" "6418448" "6338068" "6477540" "6014702" "6012067" "6434543" "6298353" "6256772" "6289395" "5897634" "6446109" "5907847" "6006235" "6125363" "6212546" "6212546" "6427228" "6233584" "5899990").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:07
-	92	(@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:45
-	32	((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (EJB and SQL or (ORB and Beans))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:18

C:\APPS\EAST\Workspaces\09653247.wsp

| - | | 2 | (((("6272537") or ("6473766") or ("6411697") or ("6275790") or ("6163776") or ("6434447") or ("6125391") or ("6226675") or ("6226675") or ("5878411")).PN.) or (("6269373" "6298478" "6199195" "6351776" "6385643" "6336118" "6230160" "6438744" "6292830" "6292933" "6026405" "6442541" "6049664" "5933144" "6047318" "6236999" "6457065" "6249803" "6237135" "6085198" "6266666" "6078743" "6289512" "6266716" "6185730" "6185609" "6009464" "6035303" "6115719" "6049819" "6167453" "6418448" "6338068" "6477540" "6014702" "6012067" "6434543" "6298353" "6256772" "6289395" "5897634" "6446109" "5907847" "6006235" "6125363" "6212546" "6212546" "6427228" "6233584" "5899990").pn.)) and ((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/05 15:54 |

C:\APPS\EAST\Workspaces\09653247.wsp

| | 10 | (((("6269373" "6298478" "6199195" "6351776" "6385643" "6336118" "6230160" "6438744" "6292830" "6292933" "6026405" "6442541" "6049664" "5933144" "6047318" "6236999" "6457065" "6249803" "6237135" "6085198" "6266666" "6078743" "6289512" "6266716" "6185730" "6185609" "6009464" "6035303" "6115719" "6049819" "6167453" "6418448" "6338068" "6477540" "6014702" "6012067" "6434543" "6298353" "6256772" "6289395" "5897634" "6446109" "5907847" "6006235" "6125363" "6212546" "6212546" "6427228" "6233584" "5899990").pn. ("6272537" "6473766" "6411697" "6275790" "6163776" "6434447" "6125391" "6226675" "6226675" "5878411" "6236909" "6134603" "6011918" "6119165" "6131165" "6173290" "6314430" "6405111" "6311221" "5943496" "5966702" "6118940" "6223287" "6223287" "5944793" "5995974" "6223179" "6223179" "6253256" "6282702" "6349333" "6412021" "6272675" "6208642" "6415302" "6092074" "6393569" "6469714" "6223224" "6223224" "6421681" "6229537" "6477701" "6385769" "6463530" "6094677" "6286051" "6005568" "6049807" "6230318").pn.) or (((("6272537") or ("6473766") or ("6411697") or ("6275790") or ("6163776") or ("6434447") or ("6125391") or ("6226675") or ("6226675") or ("5878411")).PN.) or (("6269373" "6298478" "6199195" "6351776" "6385643" "6336118" "6230160" "6438744" "6292830" "6292933" "6026405" "6442541" "6049664" "5933144" "6047318" "6236999" "6457065" "6249803" "6237135" "6085198" "6266666" "6078743" "6289512" "6266716" "6185730" "6185609" "6009464" "6035303" "6115719" "6049819" "6167453" "6418448" "6338068" "6477540" "6014702" "6012067" "6434543" "6298353" "6256772" "6289395" "5897634" "6446109" "5907847" "6006235" "6125363" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/05 15:55 |

-	1	(((("6269373" "6298478" "6199195" "6351776" "6385643" "6336118" "6230160" "6438744" "6292830" "6292933" "6026405" "6442541" "6049664" "5933144" "6047318" "6236999" "6457065" "6249803" "6237135" "6085198" "6266666" "6078743" "6289512" "6266716" "6185730" "6185609" "6009464" "6035303" "6115719" "6049819" "6167453" "6418448" "6338068" "6477540" "6014702" "6012067" "6434543" "6298353" "6256772" "6289395" "5897634" "6446109" "5907847" "6006235" "6125363" "6212546" "6212546" "6427228" "6233584" "5899990").pn. ("6272537" "6473766" "6411697" "6275790" "6163776" "6434447" "6125391" "6226675" "6226675" "5878411" "6236909" "6134603" "6011918" "6119165" "6131165" "6173290" "6314430" "6405111" "6311221" "5943496" "5966702" "6118940" "6223287" "6223287" "5944793" "5995974" "6223179" "6223179" "6253256" "6282702" "6349333" "6412021" "6272675" "6208642" "6415302" "6092074" "6393569" "6469714" "6223224" "6223224" "6421681" "6229537" "6477701" "6385769" "6463530" "6094677" "6286051" "6005568" "6049807" "6230318").pn.) or (((("6272537") or ("6473766") or ("6411697") or ("6275790") or ("6163776") or ("6434447") or ("6125391") or ("6226675") or ("6226675") or ("5878411")).PN.) or (("6269373" "6298478" "6199195" "6351776" "6385643" "6336118" "6230160" "6438744" "6292830" "6292933" "6026405" "6442541" "6049664" "5933144" "6047318" "6236999" "6457065" "6249803" "6237135" "6085198" "6266666" "6078743" "6289512" "6266716" "6185730" "6185609" "6009464" "6035303" "6115719" "6049819" "6167453" "6418448" "6338068" "6477540" "6014702" "6012067" "6434543" "6298353" "6256772" "6289395" "5897634" "6446109" "5907847" "6006235" "6125363" "6212546"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:56

-		2	((("6032151") or ("6016499") or ("5999941") or ("5899990")).PN.) and (((("6269373" "6298478" "6199195" "6351776" "6385643" "6336118" "6230160" "6438744" "6292830" "6292933" "6026405" "6442541" "6049664" "5933144" "6047318" "6236999" "6457065" "6249803" "6237135" "6085198" "6266666" "6078743" "6289512" "6266716" "6185730" "6185609" "6009464" "6035303" "6115719" "6049819" "6167453" "6418448" "6338068" "6477540" "6014702" "6012067" "6434543" "6298353" "6256772" "6289395" "5897634" "6446109" "5907847" "6006235" "6125363" "6212546" "6212546" "6427228" "6233584" "5899990").pn. ("6272537" "6473766" "6411697" "6275790" "6163776" "6434447" "6125391" "6226675" "6226675" "5878411" "6236909" "6134603" "6011918" "6119165" "6131165" "6173290" "6314430" "6405111" "6311221" "5943496" "5966702" "6118940" "6223287" "6223287" "5944793" "5995974" "6223179" "6223179" "6253256" "6282702" "6349333" "6412021" "6272675" "6208642" "6415302" "6092074" "6393569" "6469714" "6223224" "6223224" "6421681" "6229537" "6477701" "6385769" "6463530" "6094677" "6286051" "6005568" "6049807" "6230318").pn.) or ((((("6272537") or ("6473766") or ("6411697") or ("6275790") or ("6163776") or ("6434447") or ("6125391") or ("6226675") or ("6226675") or ("5878411")).PN.) or (("6269373" "6298478" "6199195" "6351776" "6385643" "6336118" "6230160" "6438744" "6292830" "6292933" "6026405" "6442541" "6049664" "5933144" "6047318" "6236999" "6457065" "6249803" "6237135" "6085198" "6266666" "6078743" "6289512" "6266716" "6185730" "6185609" "6009464" "6035303" "6115719" "6049819" "6167453" "6418448" "6338068" "6477540" "6014702" "6012067" "6434543" "6298353" "6256772" "6289395" "5897634" "6446109" "5907847"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:57

-	8	(("6032151") or ("6016499") or ("5999941") or ("5899990")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:58
-	0	(Java adj2 Vector) and Enumeration and (EJB or Corba)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 10:27
-	5	(Java adj2 (Vector or Enumeration)) and CORBA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:40
-	0	20030014556.URPN.	USPAT	2004/06/28 11:42
-	21	(EJB same Corba).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 11:42
-	3	((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and (EJB and SQL or (ORB and Beans))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:39
-	0	6745250.URPN.	USPAT	2004/06/28 11:44
-	7	("5948072" | "6016514" | "6167453" | "6260078" | "6269373" | "6298478" | "6418447").PN.	USPAT	2004/06/28 11:44
-	7	("5948072" | "6016514" | "6167453" | "6260078" | "6269373" | "6298478" | "6418447").PN.	USPAT	2004/06/28 11:44
-	8	("5481721" | "5511197" | "5586260" | "5638504" | "5642511" | "5724588" | "5802367" | "5848273").PN.	USPAT	2004/06/28 11:46
-	1	(("5481721" | "5511197" | "5586260" | "5638504" | "5642511" | "5724588" | "5802367" | "5848273").PN.) and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 11:49
-	332	beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 11:50
-	3	((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:20
-	7	("5948072" | "6016514" | "6167453" | "6260078" | "6269373" | "6298478" | "6418447").PN.	USPAT	2004/06/28 11:51
-	44	(beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 11:54
-	44	((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.) and "Business Machines".as. and @pd>=2000831	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 11:54

-	288	(beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 11:54
-	2	((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) and "Business Machines".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 11:55
-	286	((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) not (((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) and "Business Machines".as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 11:55
-	41	(((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) not (((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) and "Business Machines".as.)) and (@ad<=20000831 or @rlad<=20000831) and (beans same (CORBA or DCOM))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:36
-	47	(((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) not (((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) and "Business Machines".as.)) and (@ad<=20000831 or @rlad<=20000831) and (beans same (CORBA or DCOM))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:33

-		28	((((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) not (((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) and "Business Machines".as.)) and (@ad<=20000831 or @rlad<=20000831) and (beans same (CORBA or DCOM))) not Bowman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:33
-		22	(((((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) not (((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) and "Business Machines".as.)) and (@ad<=20000831 or @rlad<=20000831) and (beans same (CORBA or DCOM))) not Bowman.in.) not "Business Machines".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:34
-		8	("5481721" | "5511197" | "5586260" | "5638504" | "5642511" | "5724588" | "5802367" | "5848273").PN.	USPAT	2004/06/28 15:35
-		22	((((((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) not (((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not ((beans and ((RMI and Corba or ORB) or ((object adj2 broker) same finder))) not (((EJB same Corba).ab.) and (@ad<=20000831 or @rlad<=20000831) and "Business Machines".as. and @pd>=2000831) and "Business Machines".as.)) and "Business Machines".as.)) and (@ad<=20000831 or @rlad<=20000831) and (beans same (CORBA or DCOM))) not Bowman.in.) not "Business Machines".as.) and (beans same (CORBA or DCOM or ORB or RMI or SQL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:40
-		14	beans and ((Java near3 (API or RMI or call or method)) same (quer$4 near3 object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:18

-		37	((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (EJB and SQL or (ORB and Beans))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:19
-		12	(beans and ((Java near3 (API or RMI or call or method)) same (quer$4 near3 object))) and (@ad<=20000831 or @rlad<=20000831)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:19
-		40	(((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (EJB and SQL or (ORB and Beans))) or ((beans and ((Java near3 (API or RMI or call or method)) same (quer$4 near3 object))) and (@ad<=20000831 or @rlad<=20000831))) and (ORB or CORBA or DCOM or JQL or JDBC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:20
-		10	(US-5999941-$ or US-6016499-$ or US-6260078-$ or US-5948072-$ or US-5848273-$ or US-6668327-$).did. or (US-20020049864-$).did. or (EP-972258-$ or US-6032151-$ or US-6016499-$).did.	USPAT; US-PGPUB; DERWENT	2004/06/29 10:22
-		33	(((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (EJB and SQL or (ORB and Beans))) or ((beans and ((Java near3 (API or RMI or call or method)) same (quer$4 near3 object))) and (@ad<=20000831 or @rlad<=20000831))) and (ORB or CORBA or DCOM or JQL or JDBC)) not ("Business Machines".as. and @pd>=19990831)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:13
-		33	(((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (EJB and SQL or (ORB and Beans))) or ((beans and ((Java near3 (API or RMI or call or method)) same (quer$4 near3 object))) and (@ad<=20000831 or @rlad<=20000831))) and (ORB or CORBA or DCOM or JQL or JDBC)) not ("Business Machines".as. and @pd>=19990831)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:13
-		10	(US-5999941-$ or US-6016499-$ or US-6260078-$ or US-5948072-$ or US-5848273-$ or US-6668327-$).did. or (US-20020049864-$).did. or (EP-972258-$ or US-6032151-$ or US-6016499-$).did.	USPAT; US-PGPUB; DERWENT	2004/06/29 13:13
-		2	((US-5999941-$ or US-6016499-$ or US-6260078-$ or US-5948072-$ or US-5848273-$ or US-6668327-$).did. or (US-20020049864-$).did. or (EP-972258-$ or US-6032151-$ or US-6016499-$).did.) and (Vector or Enumeration or Finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:14
-		30	((((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (EJB and SQL or (ORB and Beans))) or ((beans and ((Java near3 (API or RMI or call or method)) same (quer$4 near3 object))) and (@ad<=20000831 or @rlad<=20000831))) and (ORB or CORBA or DCOM or JQL or JDBC)) not ("Business Machines".as. and @pd>=19990831)) and (Vector or Enumeration or Finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:14
-		224	(Java same beans) and (Vector or Enumeration or Finder) and (ORB or RMI or query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 07:59

C:\APPS\EAST\Workspaces\09653247.wsp

-	105	(@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 07:59
-	75	((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 08:00
-	67	((Java same beans) and (Vector or Enumeration or Finder) and (ORB or RMI or query)) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 08:02
-	35	(EJB near6 (home or container)) and ((narrow$4 or validat$4 or verif$5) same (attribute or parameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 08:04
-	12	((EJB near6 (home or container)) and ((narrow$4 or validat$4 or verif$5) same (attribute or parameter))) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 08:19
-	89	((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)) or (((Java same beans) and (Vector or Enumeration or Finder) and (ORB or RMI or query)) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.))) and (Corba or COM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 08:04
-	7	(((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)) or (((Java same beans) and (Vector or Enumeration or Finder) and (ORB or RMI or query)) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.))) and (Corba or COM)) and (((Finder or narrow) near6 (method or object)) same query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 08:06
-	2	PortableRemoteObject and Corba	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 11:30
-	7	((((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)) or (((Java same beans) and (Vector or Enumeration or Finder) and (ORB or RMI or query)) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.))) and (Corba or COM)) and (((Finder or narrow) near6 (method or object)) same query)) not ((PortableRemoteObject and Corba) or "Business Machines".as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 08:14

C:\APPS\EAST\Workspaces\09653247.wsp

-	2	((((((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)) or (((Java same beans) and (Vector or Enumeration or Finder) and (ORB or RMI or query)) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.))) and (Corba or COM)) and (((Finder or narrow) near6 (method or object)) same query)) not ((PortableRemoteObject and Corba) or "Business Machines".as.)) and Corba	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 08:18
-	33	Java and (Vector or Enumeration) and (Finder and Corba and EJB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:09
-	2	(Java and (Vector or Enumeration) and (Finder and Corba and EJB)) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:35
-	2	(((((((@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker")) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)) or (((Java same beans) and (Vector or Enumeration or Finder) and (ORB or RMI or query)) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.))) and (Corba or COM)) and (((Finder or narrow) near6 (method or object)) same query)) not ((PortableRemoteObject and Corba) or "Business Machines".as.)) and (Vector or Enumeration) and (Corba and EJB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:09
-	2	((RMI or ORB or Corba) same beans) and (evaluate near2 method) and (query same (object or container))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:35
-	18	((RMI or ORB or Corba) same beans) and ((execute or process) near2 method) and (query same (object or container))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:39
-	10	(((RMI or ORB or Corba) same beans) and ((execute or process) near2 method) and (query same (object or container))) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 11:32
-	8	("5897634" | "5951680" | "6064406" | "6085198" | "6249844" | "6292880" | "6557100" | "6629135" | "2002/0124082").PN.	USPAT	2004/06/30 09:39
-	1	(("5897634" | "5951680" | "6064406" | "6085198" | "6249844" | "6292880" | "6557100" | "6629135" | "2002/0124082").PN.) and ((EJB or beans) and evaluat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:44
-	48	beans and Tie and ORB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 11:31
-	8	(beans and Tie and ORB) and (@ad<=20000831 or @rlad<=20000831) not (Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 11:39

-	1	"java.rmi" and Tie and ((stub and ORB) or EJB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:36
-	110	Java and Vector and Enumeration and (RMI or ORB or COM or corba)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:37
-	30	(Java and Vector and Enumeration and (RMI or ORB or COM or corba)) and (@ad<=20000831 or @rlad<=20000831) and ("Finder Class" or "Component Broker") not "Business Machines".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:47
-	75	(Java and Vector and Enumeration and (RMI or ORB or COM or corba)) not ("Business Machines".as. or Bowman.in. or Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:40
-	81	"5" and ((Vector or Enumeration)) and (CORBA and EJB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:38
-	7	((Java and Vector and Enumeration and (RMI or ORB or COM or corba)) not ("Business Machines".as. or Bowman.in. or Accenture.as.)) and ((Vector or Enumeration)) and (CORBA and EJB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:41
-	3	(((Java and Vector and Enumeration and (RMI or ORB or COM or corba)) not ("Business Machines".as. or Bowman.in. or Accenture.as.)) and ((Vector or Enumeration)) and (CORBA and EJB)) and (@ad<=20000831 or @rlad<=20000831)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:47
-	3	(EJB or ORB) and ((process or execut$4) near7 (query adj3 (predicate or command or string)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:34

YAHOO! search   "Java bean" enterprise Tie | Yahoo! Search | Advanced
                                                                                             Preferences
Test drive our beta design

| **Web** | **Images** | **Directory** | **Yellow Pages** | **News** | **Products** |

TOP 20 WEB RESULTS out of about 490 Search took 0.541 seconds. (What's this?)

---

1. **: Package sb** 📇
   PREV PACKAGE NEXT PACKAGE. FRAMES. NO FRAMES. Package sb. Interface Summary. AAdminModifyHome AAfilterHome
   www.cs.unc.edu/Courses/comp119/projects/Project4orce/javadoc/jsb/sb/package-summary.html - 36k - Cached - Mc

2. **comp190.vc.ejbs()** 📇
   PREV PACKAGE NEXT PACKAGE. FRAMES. NO FRAMES. All Classes. Package comp190.vc.ejbs. Interface Sum interface for the Entity Bean
   www.cs.unc.edu/Courses/comp119-f01/projects/VirtualClassroom/ejb-api/comp190/vc/ejbs/package-summary . - 20k

3. **Support for Enterprise JavaBeans in Component Broker** 📇
   IBM Systems Journal issue 37-4, Nontopical issue, feature paper-> <meta name= ... IBM's Component Broker and S interface exposing the **Enterprise** bean class to ...
   www.research.ibm.com/journal/sj/374/codella.html - 144k - Cached - More pages from this site

4. **http://www.research.ibm.com/journal/sj/374/codella.txt** 📇
   ... C) 1998 IBM Support for **Enterprise** JavaBeans in Component Broker by C ... definition of a **Java "bean tie"** class
   www.research.ibm.com/journal/sj/374/codella.txt - 118k - Cached - More pages from this site

5. **Java Notes - Stateless Session EJB** 📇
   Java Reference and Example Site - Notes - Stateless Session EJB
   www.fluffycat.com/java/JavaNotes-EJBSessionStateless.html - 20k - Cached

6. **http://archives.java.sun.com/ejb-interest/ejb-interest.log0102** 📇
   Can anybody help in this. > > ... mailing list for **Enterprise** JavaBeans development <EJB-INTEREST ... mailing list f development <EJB ...
   archives.java.sun.com/ejb-interest/ejb-interest.log0102 - 524k - Cached - More pages from this site

7. **jGuru: Enterprise JavaBeans (EJB) FAQ** 📇
   ... **Enterprise** JavaBeans (EJB) FAQ From jGuru ... What's different in **Enterprise** JavaBeans 1.1? Location: http ...
   www.jguru.com/faq/printablefaq.jsp?topic=EJB - 524k - Cached - More pages from this site

8. **http://archives.java.sun.com/ejb-interest/ejb-interest.log0111** 📇
   Should the behaviour not be the same as if bean B was CMT with a "Requires" attribute, i.e. it would participate in the **Enterprise** JavaBeans development <EJB-INTEREST ... mailing list for **Enterprise** JavaBeans development <EJB-I
   archives.java.sun.com/ejb-interest/ejb-interest.log0111 - 524k - Cached - More pages from this site

9. **http://sun.systemnews.com/47/4/ja/index.shtml** 📇
   ... high performing **enterprise** applications. In addition, Advantage Joe has the ability to **tie** EJB applications with ... c
   sun.systemnews.com/47/4/ja/index.shtml - 59k - Cached

10. **ejb for WithClass** 📇
    ... is to present "how to" create EJB (**Enterprise Java Bean**) Applications in the WithClass UML CASE Tool ... a sim
    www.microgold.com/version2/stage/ejb/ejb.html - 24k - Cached

11. **J2EE** 📇
    ... This course teaches the students how to use Java to create **Enterprise Java Bean** ... Message Beans, which are
    www.strategicmarketingventures.com/j2ee.html.html - 36k - Cached - More pages from this site

12. **Java Notes - Container-Managed Entity EJB** 📧
    Java Reference and Example Site - Notes - Container Managed Entity EJB ... throws FinderException, RemoteExcep
    Monson ... in one table that **tie** to fields in another ...
    www.fluffycat.com/java/JavaNotes-EJBEntityContainerManaged.html - 29k - Cached

13. **jdyenterprises.net** 📧
    ... **Enterprise** Car Rental ·. **Tie** Dye ·. **Enterprise** Software ... Web Hosting ·. **Enterprise Java Bean** ...
    jdyenterprises.net/ - 18k - Cached

14. **TheServerSide.com Newsletter #13** 📧
    TheServerSide.com Connectionn newsletter keeps you up-to-date on the most important J2EE industry news and iss
    to its application server ... components through a set of fully J2EE compliant **Enterprise Java Bean** components ...
    www.theserverside.com/newsletters/news13.html - 19k - Cached - More pages from this site

15. **6-6.com - Consulting - Application Development - Toronto Based E-Commerce/EDI Service Provi**
    ... Middle Tier. EJB (**Enterprise Java Bean**) provides an excellent container to manage middle **tie** business compon‹
    www.6-6.com/66/consulting_appdev.html - 5k - Cached

16. **J2EE** 📧
    ... This course teaches the students how to use Java to create **Enterprise Java Bean** ... Message Beans, which are
    d419929.u35.acomhosting.com/j2ee.html.html - 39k - Cached - More pages from this site

17. **Java Course Outlines and Unauthorized Materials, Times to Teach - Mix and Match** (PDF) 📧
    ... 3 daysWhat makes a **Java Bean**. How Introspection / Reflection ... J2EE Application Servers. CoursewareEnterp‹
    www.thejavanation.com/MasterOUtline.pdf - 25k - View as html

18. **WebSphere** 📧
    ... This course teaches the students how to use Java to create **Enterprise Java Bean** ... Message Beans, which are
    www.strategicmarketingventures.com/webs.html.html - 24k - Cached - More pages from this site

19. **Implementing custom finder helpers for CMP entity beans: WebSphere Application Server** 📧
    ... on SQL that allows searches on the persistent attributes of an **Enterprise Java Bean** and associated bean attribu‹
    www-306.ibm.com/software/webservers/appserv/doc/v40/aes/infocenter/was/0606001505_cefind.html - 34k - Cache‹

20. **Navigate the Application Framework Terrain -- Java Corporate Expresso Application Framework I**
    ... More on **Enterprise Java Bean** (EJB) More on HTML ... of products that, like IBM, provide building blocks for dev‹
    eclipseadvisor.com/doc/06024

Results Page:
1 2 3 4 5 6 7 8 9 10 ▶ **Next**

Help us improve your search experience. Send us feedback.

| **Web** | **Images** | **Directory** | **Yellow Pages** | **News** | **Products** |

Your Search: "Java bean" enterprise Tie   Yahoo! Search   Advanced
                                                                    Preferences

Yahoo! Search is hiring! Learn about job opportunities
Get free Pop-Up Blocker - Yahoo! Search Toolbar

Search Web ▾ Search This Site ✓ ▾ ▾ Bookmarks